

WHAT IS CARBOXYTHERAPY?

Carboxytherapy is the use of carbon dioxide (CO2) to regenerate the skin. By infusing carbon dioxide into the skin, the body will respond by rushing oxygen rich blood to the tissue. CO2Lift carboxy gel is a super hydrating treatment that delivers the carbon dioxide through the mask. This mask is kept on the skin for 35 minutes to an hour. The mask has a compounding effect every time it's used within 7 days of application.



HOW DO CO2LIFT PRODUCTS WORK?

The Carbon dioxide is created when the water in one packet mixes with the magnesium carbonate in the other packet, then forming a mild acid that mixes with the Gluconolactone. The resulting gel's patented formula allows CO2 to be absorbed in the skin. This makes it unique, hypoallergenic and mild to the skin with a pH of 5.5.

Additionally, CO2LIFT utilizes the Bohr effect to cellularly re-oxygenate the tissue to naturally increase blood flow, stimulate collagen and elastin, and restore peak tissue functionality.





CO2LIFTPro

THE CARBOXY GEL MASK

L I F T
FACE BODY VAGINA

CO2LIFTPro improves the skin's elasticity without the invasive procedure with an innovative gel-mask treatment that is gentle enough to apply even on your eyelids and under eye. It improves radiance immediately after application by conditioning skin with intense hydration and boosting moisture retention.

- Increases Skin's Hydration > 117%
- Lifts and Tightens Skin
- Reduces Wrinkles and Lines
- Smoothes Skin Texture
- Reduces Pore Size
- Brightens Skin Tone
- Reduces Redness and Swelling



RESULTS OF CO2LIFT TREATMENT MASK

With the improvement of blood circulation and the efficient discharge of waste from your skin, you will experience an immediate overall brightness and radiance to your face and neck. Each CO2LIFT treatment builds on itself and achieves new levels of hydration, revealing remarkable anti-aging results.

ELASTICITY AND FIRMNESS

Carbon dioxide promotes the activity of protein synthesis. As a result, this directly improves the elasticity and firmness of your skin. CO2LIFT TREATMENT MASK improves collagen production, reduces fine lines and wrinkles, and over all improves the texture and smoothness of your skin. This is important for proper anti-aging management.

HYDRATION

CO2LIFT TREATMENT MASK has been proven to increase the skin's hydration by > 117% after just one application and maintain over 50% hydration after 2 weeks. The CO2LIFT treatment mask reduces inflammation and increases blood circulation which improves the overall health and appearance of the skin.



1 CO2LIFTPro TREATMENT
45 MINUTES AFTER APPLICATION



1 CO2LIFTPro TREATMENT
45 MINUTES AFTER APPLICATION

Courtesy of a Patient of Brian Biesman, MD Nashville TN



1 CO2LIFTPro TREATMENT
45 MINUTES AFTER APPLICATION
Courtesy of Sanctuary/Dr. Jason Pozner



12 CO2LIFTPro TREATMENTS
AFTER 1 YEAR OF CONSECUTIVE MONTHLY TREATMENTS







After 3rd treatment

SERIES OF 3 CO2LIFTPro TREATMENTS

Courtesy of Wendy Roberts, MD, FAAD





1 CO2LIFTPro TREATMENT

ECZEMATOUS DEMATITIS - IMMEDIATELY AFTER 1 APPLICATION X 45 MIN

CO2LIFTPro

COMBINATION TREATMENTS



CO2LIFTPro TREATMENT MASK is proven to increase micro-circulation, speed up healing and increase hydration in the skin. Therefore CO2LIFTPro Carboxy gel, the trans dermal carboxytherapy, is ideal for post care after laser and other types of invasive procedures.

WHEN COMBINED WITH THE FOLLOWING, CO2LIFTPRO CAN ENHANCE RESULTS AND SPEED UP RECOVERY TIME:

- Lasers
- Chemical/Acid Peels
- Microneedling
- Other Invasive Procedures

CO2LIFT MASK AND CARBOXYTHERAPY

A study was done to determine whether CO2LIFT mask increased blood flow in the capillary micro circulation. It was also to check if the CO2LIFT mask released CO2 at the dermal level and produced effects on the micro circulation as when CO2 is injected into the dermis and subcutaneous tissue.

The result was that there was an increase in the capillaries on overage 27.7% in diameter. Also, the overage density improved 26.8%. Thus, we can conclude that CO2LIFT mask is able to affect changes in the micro circulation.

REF. PUB MED JOURNAL PMID: 29566423

Facial hydration increased progressively during use of the CO2LIFT mask. This indicates a cumulative hydration effect, i.e. Skin moisture builds with each use of the gel mask. Skin hydration remained at values greater than baseline and even increased relative to treatment phase values after a period of no treatment. This suggests that the CO2LIFT mask elicited changes that allow the skin to improve retention of moisture.



CO2LIFTPro + MICRONEEDLING

CO2LIFTPro Mask applied 45 minutes immediately post and 24 hour post microneedling

Courtesy of Ronald Figueredo, MD

Tampa. FL



CO2LIFTPro + MICRONEEDLING
CO2LIFTPro Mask applied immediately post microneedling



CO2LIFTPro + ERA BY AEROLASE

3 CO2LIFTPro Mask Treatments applied immediately post procedure then the next day and the following day



CO2LIFTPro + PIXEL LASER

4 CO2LIFTPro Mask Treatments applied the day before treatment, then the next 3 consecutive days post treatment



TREATMENT PARAMETERS

Venus Viva (80 pin applicator tip, 220V, 10MS, 1 Pass) and 3 applications of CO2LIFT Mask



TREATMENT PARAMETERS

Venus Viva (80 pin applicator tip, 230V, 12MS, 1 Pass) and 3 applications of CO2LIFT Mask



PRE-TREATMENT

IMMEDIATE POST-TREATMENT

45-MIN POST TREATMENT

MICRONEEDLING RADIOFREQUENCY + AQUAPHOR



MICRONEEDLING RADIOFREQUENCY + CO2LIFTPro



PRE-TREATMENT

IMMEDIATE POST TREATMENT

45 MINUTES POST TREATMENT

2 DAYS POST TREATMENT

MICRONEEDLING RADIOFREQUENCY + AQUAPHOR



PRE-TREATMENT

IMMEDIATE POST TREATMENT

45 MINUTES POST TREATMENT

2 DAYS POST TREATMENT

MICRONEEDLING RADIOFREQUENCY + CO2LIFTPro

CO2LIFT HAND TREATMENT

C02LIFTPro was applied to the hands for 14 days continuously and left it for 60 minutes at night. The results were fine textured skin, transparent skin and decreased lines.

SUBJECT #	HYDRATION - HAND									
	BASELINE	POST- TREATMENT	DAY 4	DAY 8	DAY 14	DAY 21	DAY 28			
2	35.47	42.17	77.67	67	91.67	64.67	84.33			
4	33.97	45.27	MISSED	68.67	67.67	64.67	63.33			
8	24.03	27.07	59.33	64.67	77.67	62	64.33			
9	39.83	57.17	56	81.33	75.67	72	79.67			
10	42.77	49.07	69.33	74.67	67.67	59.67	73.33			
11	32.37	36.4	79.33	69.67	78.33	78.33	95.67			
12	40.93	48.83	MISSED	76.67	72.33	63	82.33			
13	29.37	51.33	77.67	70.33	80.33	70	105			
15	35.13	49.37	76.33	89.67	89	69.33	79			
18	67.2	65	72.33	89.33	102	81.67	86.33			
19	35.37	55.7	76.33	56	51	78.33	80.33			
19	46.1	48.8	73.13	95.33	86.67	73.33	69			
MEAN	38.54	48.01	75.85	75.28	78.33	69.75	80.22			

DAY 1







SUPER HYDRATING TREATMENT MASK

Once applied, C02LIFT mask can be left on for 35 - 60 minutes. Mask will begin to thicken and can be peeled off. Results lead to glowing skin.

SUBJECT	HYDRATION - FACE									
	BASELINE	POST- TREATMENT	DAY 4	DAY 8	DAY 14	DAY 21	DAY 28			
2	48.97	71.32	77.17	90.17	95.83	94.5	110.83			
4	28.47	37.42	65.83	79.17	85	77.33	88.67			
8	32.32	44	63.33	77.17	80.17	72.5	86.17			
9	41.53	48.28	78.67	73	87.33	61.5	81.17			
10	51.32	54.47	64.17	83.83	85.5	83	92.83			
11	38.52	44.17	69.33	79.83	87.17	100.33	102.17			
12	47.08	51.07	92.83	83.83	87.83	95.17	102.67			
13	44.53	49.6	70	75	78.5	77.17	107.5			
14	38.55	41.83	80.33	78.17	77.5	76.67	88.83			
15	64.53	71.02	97	97.5	99	84.5	93.5			
18	43.13	43.73	77	87.5	90.67	95.67	103			
19	44.02	54.12	74.5	96.83	97.33	83.67	93.83			
MEAN	43.58	50.92	75.85	83.5	87.65	83.5	95.93			



CO2LIFT MOUSSE MOISTURIZER

DELIVERS A RUSH OF CO2 AND QUENCHES DRY SKIN FOR A SMOOTH, SUPPLE, HYDRATED LOOK DAY AFTER DAY.



The Carboxy Mousse Moisturizer works as a mini revival with each application. Featuring the same benefits of the CO2LIFT Carboxy Therapy Treatment Mask in the form of a mousse moisturizer, it offers long-lasting, intense moisturizing power.

- Delivers fresh CO2 with each application
- Brings a healthy glow to skin while blocking melanin production
- Promotes skin healing and cell regeneration
- · Refines skin texture and brightens dull skin



INGREDIENTS

- Carbon Dioxide (CO2) enhances elasticity, tightens, and treats as well as prevents wrinkles.
- 3 Forms of Stabilized Vitamin C aids in antioxidation and regulation of collagen biosynthesis.
- Licorice Root Extract promotes an even skin tone.
- Hydrolyzed Silk Protein high moisture binding capacities; provides a protective barrier.
- Glycolic, Lactic & Salicylic Acids gently exfoliates and brightens the skin
- Artemisia, Chamomile, Allantoin, Bisabolol & Green Tea calming, anti-inflammatory.

HOW TO USE

- FOR DAILY USE Apply directly to concerned areas, leave on for 5 minutes then spread all over face and neck.
- FOR POST PROCEDURE CARE The CO2Lift Carboxy Mousse Moisturizer is very effective for spot treatments after procedures.
- HOW LONG DOES IT LAST? One bottle will last around two months when used morning and night.



BEFORE AFTER 49 DAYS



BEFORE AFTER 44 DAYS

CO2LIFTV

THE TAKE-HOME VAGINAL TREATMENT KIT

CO2LIFTV is a painless effective treatment that, with no downtime, addresses vaginal issues associated with aging, childbearing and/or stress. Utilize carbon dioxide to naturally increase blood flow, stimulate collagen and elastin, and restore peak functionality of the vulva/vaginal tissue.



Hormone free. No downtime. Just results.

CO2LIFTV ADDRESSES THE FOLLOWING CONCERNS:

- Appearance of the vaginal area
- Vaginal dryness
- · Urinary issues
- Discomfort during intercourse
- Vaginal tightness

CANADYMADA FILEMAN

NATURAL RESULTS IN THE PRIVACY OF YOUR HOME

The kit comes with 5 treatments and 5 applicator syringes.

After just 3 applications users will feel and see results. Doctors recommend 10-15 treatments for long lasting results, that can be maintained by monthly treatments.

NO DOWNTIME. JUST RESULTS.

The gel is mixed and then extracted with the syringe and inserted into the first third of the vagina and applied around the vulva it's kept on for 45 minutes then douched out of the vagina with water using the syringe provided. The gel will fall out. Then wipe off the gel from the vulva.

WARNING

THE FOLLOWING PAGES CONTAIN GRAPHIC CONTENT.



Before 3/31/18

After 2nd Treatment 4/05/18

2 CO2LIFTV TREATMENTS



03/31/18 Before

04/14/18 After

5 CO2LIFTV TREATMENTS



03/31/18 Before

04/14/18 After

5 CO2LIFTV TREATMENTS



Macroscopic changes after two days of using CO2LIFTV in vulva and vagina.

2 CO2LIFTV TREATMENTS


CO2LIFTV RESULTS

In a small blind study of 10 menopausal patients, who were experiencing vaginal dryness and dyspareunia was conducted using the FSFI index as a measurement of evaluation. CO2LIFTV was applied to ½ the subjects (TG) and the other half were treated with an ultrasound gel (CG). A series of 10 daily treatments were given to all patients. The FSFI questionnaire was given to both groups after 12 weeks from the beginning of the treatment (10 weeks after the treatment was complete).

The control group showed no change in the FSFI, whereas the Treatment Group showed significant changes in all areas. Patients using an ultrasound gel (CG) in the same way. All patients were in menopause with signs of vaginal dryness and dyspareunia.

These studies were done in collaboration with:

- Dr. Pablo Gonzalez Isaza Gynecologist, Colombia
- Dr. Pilar Reyes, Aesthetic Surgeon, Mexico
- Dr. Yamila Danza, Pathologist, Colombia
- Dr. Luis Coll, Dermatologist, Argentina
- Dr. Gustavo Leibaschoff, Cosmetic Gynecologist, Dallas



CO2LIFTV STUDY

The Gloria Bachman VHI questionnaire was conducted in 10 menopausal patients and obtained a highly positive result in their vaginal health after the use of the CO2LIFTV after 10 daily treatments.

Improvements were seen: the change of color of the vaginal epithelium and the disappearance of the whitish and petechiae zones. Also, we noted a decrease in the pH, and increase in the moisturize and elasticity in the vagina.

A larger study is currently being conducted. Results will be available at lumisque.com following completion.

THE ONLY PROVEN, MEDICAL-GRADE & TOPICAL CARBOXYTHERAPY TREATMENT THAT DOCTORS RECOMMEND.

AVAILABLE THROUGH PROVIDERS.

